



Habasit Profiles

Cleats, Guides, Sidewalls, and HySEAL




PVC Tracking Guides	3
TPU Tracking Guides	4
Habasit® Cleandrive and Fabric Profiles	5
PVC Cleats	6
TPU Cleats	7
Habasit® Cleandrive Profiles	8
Powerturn and HySEAL	9
TPU Round Belts	10
Habasit® Cleanline Profiles TPO Cleats & Sidewalls	11
Habasit Nomenclature	12



PVC V-Guides					Minimum Pulley Diameter			
Code	Color	Width (Base)	Height	Width (Top)	Transverse Top	Longitudinal Top	Longitudinal Back	FDA Compliant
GAMODIFIED	Black	12 mm	7.9 mm	7.1 mm	80 mm	105 mm	105 mm	No
GAP-B	Black	12.7 mm	7.9 mm	7.1 mm	80 mm	105 mm	105 mm	No
GAPN-B	Black	12.7 mm	7.9 mm	7.1 mm	80 mm	105 mm	105 mm	No
GAP-W	White	12.7 mm	7.9 mm	7.1 mm	80 mm	105 mm	105 mm	Yes
GBP-B	Black	16 mm	11.2 mm	7.1 mm	105 mm	155 mm	155 mm	No
GBP-W	White	16 mm	11.2 mm	7.1 mm	105 mm	155 mm	155 mm	Yes
GCP-B	Black	23.1 mm	13.5 mm	10.4 mm	155 mm	205 mm	205 mm	No
GOP-B	Black	9.7 mm	6.4 mm	6.4 mm	55 mm	80 mm	80 mm	No
GOP-W	White	9.7 mm	6.4 mm	6.4 mm	55 mm	80 mm	80 mm	Yes
PVS-10A	Anthracite	10 mm	6 mm	6 mm	40 mm	120 mm	60 mm	No
PVS-10DG	Dark Green	10 mm	6 mm	6 mm	40 mm	120 mm	60 mm	No
PVS-13A	Anthracite	13 mm	8 mm	7 mm	150 mm	80 mm	70 mm	No
PVS-13DG	Dark Green	13 mm	8 mm	7 mm	80 mm	150 mm	80 mm	No
PVS-17A	Anthracite	17 mm	11 mm	9 mm	105 mm	180 mm	120 mm	No
PVS-17DG	Dark Green	17 mm	11 mm	9 mm	105 mm	180 mm	120 mm	No
PVS-30A	Anthracite	30 mm	16 mm	18 mm	205 mm	250 mm	200 mm	No
PVS-6A	Anthracite	6 mm	4 mm	4 mm	40 mm	70 mm	40 mm	No
PVS-6W	White	6 mm	4 mm	4 mm	40 mm	70 mm	40 mm	Yes
PVS-8W	White	8 mm	5 mm	5 mm	40 mm	70 mm	40 mm	Yes
PVV-10W	White	10 mm	6 mm	6 mm	40 mm	120 mm	60 mm	Yes
PVV-13W	White	13 mm	8 mm	7 mm	150 mm	80 mm	70 mm	Yes
PVV-17W	White	17 mm	11 mm	9 mm	105 mm	180 mm	120 mm	Yes

V-guide notching available for \$1.25/ft.

PVC Quadrangle Guides					Minimum Pulley Diameter			
Code	Color	Width (Base)	Height	Width (Top)	Transverse Top	Longitudinal Top	Longitudinal Back	FDA Compliant
PQS-12A	Anthracite	12 mm	12 mm	12 mm	70 mm	130 mm	130 mm	No
PQS-16A	Anthracite	12 mm	16 mm	12 mm	80 mm	150 mm	150 mm	No
PQS-8A	Anthracite	8 mm	8 mm	8 mm	50 mm	80 mm	80 mm	No



TPU V-Guides					Minimum Pulley Diameter			
Code	Color	Width (Base)	Height	Width (Top)	Transverse Top	Longitudinal Top	Longitudinal Back	FDA Compliant
PVE-6T	Translucent	6mm	4mm	3mm	40mm	20mm	20mm	No
PVE-8T	Translucent	8mm	5mm	4mm	40mm	38mm	38mm	No
PVE-10T	Translucent	10mm	6mm	6mm	50mm	45mm	45mm	No
PVE-12TB	Translucent	12mm	6mm	9mm	70mm	58mm	58mm	No
PVE-15T	Translucent	15mm	6mm	11mm	-	58mm	58mm	No
PVF-5W	White	5mm	3mm	2mm	38mm	20mm	20mm	Yes
PVF-6C+H15	Cobalt Blue	6mm	4mm	4mm	40mm	25mm	25mm	Yes
PVF-6W	White	6mm	4mm	3mm	40mm	25mm	25mm	Yes
PVF-8W	White	8mm	5mm	4mm	45mm	50mm	50mm	Yes
PVF-10C+H15	Cobalt Blue	10mm	6mm	6mm	50mm	71mm	71mm	Yes
PVF-10G	Green	10mm	6mm	6mm	50mm	71mm	71mm	Yes
PVF-10W+H15	White	10mm	6mm	6mm	50mm	71mm	71mm	Yes
PVF-13C+H15	Cobalt Blue	13mm	8mm	7mm	81mm	91mm	91mm	Yes
PVF-13G	Green	13mm	8mm	7mm	81mm	91mm	91mm	Yes
PVF-13W	White	13mm	8mm	7mm	81mm	91mm	91mm	Yes
PVF-13W+H15	White	13mm	8mm	7mm	81mm	91mm	91mm	Yes
PVF-17W	White	17mm	11mm	9mm	121mm	140mm	140mm	Yes

TPU Quadrangle Guides					Minimum Pulley Diameter			
Code	Color	Width (Base)	Height	Width (Top)	Transverse Top	Longitudinal Top	Longitudinal Back	FDA Compliant
POE-10x2T	Translucent	10 mm	2 mm	10 mm	30 mm	20 mm	20 mm	No
PQF-4x2W	White	4 mm	2 mm	4 mm	20 mm	20 mm	20 mm	Yes
PQF-9.8x4W	White	9.8 mm	4 mm	9.8 mm	50 mm	35 mm	35 mm	Yes
PQF-12W	White	12 mm	12 mm	12 mm	50 mm	110 mm	110 mm	Yes
PQF-16W	White	12 mm	16 mm	12 mm	80 mm	160 mm	160 mm	Yes
PQF-8W	White	8 mm	8 mm	8 mm	50 mm	110 mm	110 mm	Yes

TPU Flat-shaped Notched Guide					Minimum Pulley Diameter			
Code	Color	Width (Base)	Height	Width (Top)	Transverse Top	Longitudinal Top	Longitudinal Back	FDA Compliant
PQF-4X2W	White	4mm	2mm	4mm	18mm	18mm	18mm	Yes

TPO V-Guide					Minimum Pulley Diameter			
Code	Color	Width (Base)	Height	Width (Top)	Transverse Top	Longitudinal Top	Longitudinal Back	FDA Compliant
PQF-4X2W	White	4mm	2mm	4mm	18mm	18mm	18mm	Yes

V-guide notching available for \$1.25/ft.



Note: Guides may also be used as cleats. Call for details and pricing.

Habasit® Cleandrive and Fabric Profiles Polyether TPU Tracking Guides and Sidewall

Solid TPU V-Guides					Minimum Pulley Diameter			
Code	Color	Width (Base)	Height	Width (Top)	Transverse Top	Longitudinal Top	Longitudinal Back	FDA Compliant
PVH-6C	Blue	6 mm	4 mm	4 mm	60 mm	70 mm	60 mm	Yes
PVH-8C	Blue	8 mm	5 mm	5 mm	70 mm	90 mm	70 mm	Yes
PVH-10C	Blue	10 mm	6 mm	6 mm	90 mm	120 mm	90 mm	Yes
PVH-13C	Blue	13 mm	8 mm	7 mm	120 mm	150 mm	120 mm	Yes

Notched TPU V-Guides					Minimum Pulley Diameter			
Code	Color	Width (Base)	Height	Width (Top)	Transverse Top	Longitudinal Top	Longitudinal Back	FDA Compliant
PVH-6CN	Blue	6 mm	4 mm	4 mm	-	60 mm	30 mm	Yes
PVH-8CSN	Blue	8 mm	5 mm	5 mm	-	60 mm	30 mm	Yes
PVH-10CSN	Blue	10 mm	6 mm	6 mm	-	70 mm	40 mm	Yes
PVH-13CSN	Blue	13 mm	8 mm	7 mm	-	90 mm	50 mm	Yes

Corrugated Sidewall						
Code	Description	Applicable Products	Color	Width	Height Range	FDA Compliant
PSF-XXC+H15	Cobalt Blue TPU + H15	* TPU Fabric Belts	Cobalt Blue	22 mm	25 mm – 70 mm	Yes
PSF-XXW+H15	White TPU + H15	* TPU Fabric Belts	White	22 mm	25 mm – 70 mm	Yes
PQF/M-130XCH	Cleandrive™ Habibord Cobalt TPU	Cleandrive™ Monolithic Belts	Cobalt Blue	22 mm	20 mm – 101.6 mm	Yes
PQF/M-130XW	Cleandrive™ Habibord White TPU	Cleandrive™ Monolithic Belts	White	22 mm	20 mm – 101.6 mm	Yes
FLAT250/2.2H-C	Flat Cleat 2.2 mm Cobalt Blue	Cleandrive™ Monolithic Belts	Cobalt Blue	50.4 mm	20 mm – 150 mm	Yes





Cleat Length	Minimum	Maximum
PQFM-130	60mm / 2.37"	606mm / 23.87"
Flat 250/2.2H-C	117mm / 4.62"	549mm / 21.62"

PVC T-shaped Cleats					
Code	Color	Width (Base)	Height	Minimum Pulley Dia. Transverse Top	FDA Compliant
CP1T-B	Black	38.1 mm	25.4 mm	105 mm	No
CP1T-W	White	38.1 mm	25.4 mm	105 mm	Yes
CP15T-B	Black	45.7 mm	38.1 mm	155 mm	No
CP15T-W	White	45.7 mm	38.1 mm	155 mm	Yes
CP2T-B	Black	58.4 mm	50.8 mm	205 mm	No
CP2T-W	White	58.4 mm	50.8 mm	205 mm	Yes
CP3T-B	Black	63.5 mm	76.2 mm	305 mm	No
CP3T-W	White	63.5 mm	76.2 mm	305 mm	Yes

PVC Quadrangle-shaped Cleats					
Code	Color	Width (Base)	Height	Minimum Pulley Dia. Transverse Top	FDA Compliant
POS-12A	Anthracite	12 mm	12 mm	70 mm	No
POS-16A	Anthracite	12 mm	16 mm	80 mm	No
POS-8A	Anthracite	8 mm	8 mm	50 mm	No

PVC Scoop Cleats					
Code	Color	Width (Base)	Height	Minimum Pulley Dia. Transverse Top	FDA Compliant
PTS-20A	Anthracite	20 mm	20 mm	90 mm	No
PTS-30A	Anthracite	30 mm	30 mm	100 mm	No
PTS-40A	Anthracite	40 mm	40 mm	100 mm	No
PTS-40DG	Dark Green	40 mm	40 mm	100 mm	No
PTS-50A	Anthracite	50 mm	50 mm	120 mm	No
PTS-50DG	Dark Green	50 mm	50 mm	120 mm	No
PTS-70A	Anthracite	70 mm	70 mm	150 mm	No
PTV-20W	White	20 mm	20 mm	80 mm	Yes
PTV-30W	White	30 mm	30 mm	90 mm	Yes
PTV-40W	White	40 mm	40 mm	110 mm	Yes



TPU Narrow T-cleats					
Code	Color	Width (Base)	Height	Minimum Pulley Dia. Transverse Top	FDA Compliant
PNF-20W	White	10.5 mm	20 mm	50 mm	Yes
PNF-20W+H15	White	10.5 mm	20 mm	50 mm	Yes
PNF-30W	White	10.5 mm	30 mm	50 mm	Yes
PNF-30W+H15	White	10.5 mm	30 mm	50 mm	Yes
PNF-40C	Cobalt Blue	10.5 mm	40 mm	50 mm	Yes
PNF-40C-HVY	Cobalt Blue	10.5 mm	40 mm	55 mm	Yes
PNF-40W	White	10.5 mm	40 mm	50 mm	Yes
PNF-40WH15	White	10.5 mm	40 mm	50 mm	Yes
PNF-60C+H15	Cobalt Blue	10.5 mm	60 mm	50 mm	Yes
PNF-60W	White	10.5 mm	60 mm	50 mm	Yes
PNF-60W+H15	White	10.5 mm	60 mm	50 mm	Yes

TPU Quadrangle Cleats					
Code	Color	Width (Base)	Height	Minimum Pulley Dia. Transverse Top	FDA Compliant
PQF-12W	White	12 mm	12 mm	85 mm	Yes
PQF-16W	White	12 mm	16 mm	130 mm	Yes
PQF-8W	White	8 mm	8 mm	55 mm	Yes

TPU Scoop Cleats					
Code	Color	Width (Base)	Height	Minimum Pulley Dia. Transverse Top	FDA Compliant
PTF-20W	White	20 mm	20 mm	80 mm	Yes
PTF-30W	White	30 mm	30 mm	90 mm	Yes
PTF-40W	White	30 mm	40 mm	110 mm	Yes
PTF-50W	White	35 mm	50 mm	140 mm	Yes
PTF-70W	White	40 mm	70 mm	170 mm	Yes




Habasit® Cleandrive Profiles

TPU Cleats

TPU Scoop Cleats					
Code	Color	Width (Base)	Height	Minumum Pulley Dia. Transverse Top	FDA Compliant
PSH-75C	Blue	15 mm	75 mm	150 mm	Yes
PSH-100C	Blue	15 mm	100 mm	150 mm	Yes
PSH-100W	White	15 mm	100 mm	150 mm	Yes
PSH-150C	Blue	15 mm	150 mm	150 mm	Yes

TPU Narrow T-cleats					
Code	Color	Width (Base)	Height	Minumum Pulley Dia. Transverse Top	FDA Compliant
PNF/M-30XC	Cobalt Blue	10.5 mm	30 mm	45 mm / 80 mm	Yes
PNF/M-30XC+H15	Cobalt Blue	10.5 mm	30 mm	45 mm / 80 mm	Yes
PNF/M-30XW	White	10.5 mm	30 mm	45 mm / 80 mm	Yes
PNF/M-60XC	Cobalt Blue	10.5 mm	60 mm	45 mm / 80 mm	Yes
PNF/M-60XC+H15	Cobalt Blue	10.5 mm	60 mm	45 mm / 80 mm	Yes
PNF/M-60W	White	10.5 mm	60 mm	45 mm / 80 mm	Yes

5 mm Cleats					
Code	Color	Width (Base)	Height	Minumum Pulley Dia. Transverse Top	FDA Compliant
PQFM-250/50XC-1	Cobalt Blue	5 mm	25.4 mm	45 mm / 80 mm	Yes
PQFM-250/50XC-2	Cobalt Blue	5 mm	50.8 mm	45 mm / 80 mm	Yes
PQFM-250/50XC-2.5	Cobalt Blue	5 mm	63.5 mm	45 mm / 80 mm	Yes
PQFM-250/50XC-3	Cobalt Blue	5 mm	76.2 mm	45 mm / 80 mm	Yes
PQFM-250/50XC-4	Cobalt Blue	5 mm	101.6 mm	45 mm / 80 mm	Yes
PQFM-250/50XW-1	White	5 mm	25.4 mm	45 mm / 80 mm	Yes
PQFM-250/50XW-2	White	5 mm	50.8 mm	45 mm / 80 mm	Yes
PQFM-250/50XW-3	White	5 mm	76.2 mm	45 mm / 80 mm	Yes
PQFM-250/50XW-4	White	5 mm	101.6 mm	45 mm / 80 mm	Yes



Powerturn Accessories					
Code	Material	Color	Profile Width	Thickness	FDA Compliant
080150-I	TPU Bead	Translucent	25.4 mm	6.5 mm	No
080156	TPU Bead	Translucent	40 mm	16 mm	No
080160	TPU Bead	Translucent	12.7 mm	16 mm	No
CH10658	SS Chain	Black	--	--	No
50SS	SS Chain	Chrome	--	--	Yes

Powerturns

- Precision CNC cutting
- Nonwoven general purpose and FDA grade styles
- 1- and 2-ply Eurostyle belts; FDA grade also available
- Available with bead or chain, fully assembled
- Flexproof, Thermofix, or laced joining



Edgeseal Profile					
Code	Material	Color	Profile Width	Thickness	FDA Compliant
ARC-14/6NWY	TPO	White	--	--	Yes
ARF-14/6NC	TPU	Cobalt Blue	--	--	Yes
ARF-14/6XG	TPU	Green	--	--	Yes
ARF-14/6XW+H15	TPU	White	--	--	Yes
ARH-14/6C	"Premium" TPU	Cobalt Blue	--	--	Yes
ARH-14/6W	"Premium" TPU	White	--	--	Yes
ARO-14/6C	2nd Gen TPO	Cobalt Blue	--	--	Yes
ARO-14/6W	2nd Gen TPO	White	--	--	Yes
ARV-14/6HC	HySAN®	Cobalt Blue	--	--	Yes
ARV-14/6XW	HySAN®	White	--	--	Yes

Polycord®							
Code	HA Product Code	Color	Surface Structure	Diameter	Min Pulley Diameter	Coil Length	FDA Compliant
E-RB02-FG-C600 POLYCORD	P-CORD02	Habasit Green	Sand Finish	2 mm	20 mm	600 m	No
E-RB03-FG-C300 POLYCORD	P-CORD03	Habasit Green	Sand Finish	3 mm	30 mm	300 m	No
E-RB04-FG-C250 POLYCORD	P-CORD04	Habasit Green	Sand Finish	4 mm	40 mm	250 m	No
E-RB05-FG-C250 POLYCORD	P-CORD05	Habasit Green	Sand Finish	5 mm	50 mm	250 m	No
E-RB06-FG-C250 POLYCORD	P-CORD06	Habasit Green	Sand Finish	6 mm	60 mm	250 m	No
E-RB07-FG-C200 POLYCORD	P-CORD07	Habasit Green	Sand Finish	7 mm	70 mm	200 m	No
E-RB08-FG-C200 POLYCORD	P-CORD08	Habasit Green	Sand Finish	8 mm	80 mm	200 m	No
E-RB10-FG-C100 POLYCORD	P-CORD10	Habasit Green	Sand Finish	10 mm	100 mm	100 m	No
E-RB12-FG-C100 POLYCORD	P-CORD12	Habasit Green	Sand Finish	12 mm	120 mm	100 m	No
E-RB15-FG-C50 POLYCORD	P-CORD15	Habasit Green	Sand Finish	15 mm	150 mm	50 m	No

Regular Habicord							
Code	HA Product Code	Color	Surface Structure	Diameter	Min Pulley Diameter	Coil Length	FDA Compliant
E-RB02-KG-C600 HABICORD	H-CORD02	Habasit Green	Sand Finish	2 mm	30 mm	600 m	No
E-RB03-KG-C300 HABICORD	H-CORD03	Habasit Green	Sand Finish	3 mm	40 mm	300 m	No
E-RB04-KG-C250 HABICORD	H-CORD04	Habasit Green	Sand Finish	4 mm	50 mm	250 m	No
E-RB05-KG-C250 HABICORD	H-CORD05	Habasit Green	Sand Finish	5 mm	60 mm	250 m	No
E-RB06-KG-C250 HABICORD	H-CORD06	Habasit Green	Sand Finish	6 mm	70 mm	250 m	No
E-RB08-KG-C200 HABICORD	H-CORD08	Habasit Green	Sand Finish	8 mm	80 mm	200 m	No
E-RB10-KG-C100 HABICORD	H-CORD10	Habasit Green	Sand Finish	10 mm	100 mm	100 m	No

Polywhite							
Code	HA Product Code	Color	Surface Structure	Diameter	Min Pulley Diameter	Coil Length	FDA Compliant
E-RB03-FW-C300 POLYWHITE	HC-3	White	Sand Finish	3 mm	30 mm	300 m	No
E-RB04-FW-C250 POLYWHITE	HC-4	White	Sand Finish	4 mm	40 mm	250 m	No
E-RB05-FW-C250 POLYWHITE	HC-5	White	Sand Finish	5 mm	50 mm	250 m	No
E-RB06-FW-C250 POLYWHITE	HC-6	White	Sand Finish	6 mm	60 mm	250 m	No
E-RB07-FW-C200 POLYWHITE	HC-7	White	Sand Finish	7 mm	70 mm	200 m	No
E-RB08-FW-C200 POLYWHITE	HC-8	White	Sand Finish	8 mm	80 mm	200 m	No
E-RB10-FW-C100 POLYWHITE	HC-10	White	Sand Finish	10 mm	100 mm	100 m	No
E-RB12-FW-C100 POLYWHITE	HC-12	White	Sand Finish	12 mm	120 mm	100 m	No
E-RB15-FW-C100 POLYWHITE	HC-15	White	Sand Finish	15 mm	150 mm	50 m	No

Habibblue							
Code	HA Product Code	Color	Surface Structure	Diameter	Min Pulley Diameter	Coil Length	FDA Compliant
E-RB03-HC-C300 HABIBLUE	HABIBLUE3	Cobalt Blue	Rough	3 mm	30 mm	300 m	Yes
E-RB04-HC-C250 HABIBLUE	HABIBLUE4	Cobalt Blue	Rough	4 mm	40 mm	250 m	Yes
E-RB05-HC-C250 HABIBLUE	HABIBLUE5	Cobalt Blue	Rough	5 mm	50 mm	250 m	Yes
E-RB06-HC-C250 HABIBLUE	HABIBLUE6	Cobalt Blue	Rough	6 mm	60 mm	250 m	Yes
E-RB08-HC-C200 HABIBLUE	HABIBLUE8	Cobalt Blue	Rough	8 mm	80 mm	200 m	Yes
E-RB10-HC-C100 HABIBLUE	HABIBLUE10	Cobalt Blue	Smooth	10 mm	100 mm	100 m	Yes

Habasit® Cleanline Profiles

TPO Cleats & Sidewalls

TPO Cleats					
Code	Color	Width (Base)	Height	Minimum Pulley Dia. Transverse Top	FDA Compliant
E-PN40-CW	White	11	40	50	Yes
E-PN30-CW	White	11	30	50	Yes

TPO Sidewall						
Code	Description	Applicable Products	Color	Width	Height Range	FDA Compliant
E-FB13-CW-C100-2.5MM	2.5MM THICK WHITE TPO FLAT BELT MATERIAL	TPO Fabric Belts	White	13	100	Yes
E-FB13-CW-C100-2.2MM	2.2MM THICK WHITE TPO FLAT BELT MATERIAL	TPO Fabric Belts	White	13	100	Yes
E-FB13-CW-C100-2.0MM	2.0MM THICK WHITE TPO FLAT BELT MATERIAL	TPO Fabric Belts	White	13	100	Yes

1st code digit: Profile Type
2nd code digit: Profile Shape
3rd code digit: Material Type
4th code digit: Feature
5th code digit: Reading Aid
6th code digit: Color

G O P N - B **Imperial Profiles: Guides**

Profile Type
 B: belt T
 C: cleat
 D: half round
 G: guide
 H: heavy T
 I: I - profile
 N: narrow T
 Q: quadrangle
 S: sidewall
 T: scoop cleat
 V: v-guide

Profile Shapes
 O section
 A section
 B section
 C section
 T: T - cleat

1st code digit: Profile Type
2nd code digit: Material Type
3rd code digit: Profile Shape
4th code digit: Height (inches)
5th code digit: Reading Aid
6th code digit: Color

C P 1 T - B **Imperial Profiles: Cleats**

Material Type
 P: PVC
 U: Urethane (TPU)

Product Line
 E: extra line
 F: food TPU
 H: high duty
 S: standard
 U: urethane (TPU)
 V: food PVC

1st code digit: Accessory Type
2nd code digit: Profile Type
3rd code digit: Product Line
4th code digit: Reading Aid
5th code digit: Profile Size (mm)
6th code digit: Color

P V S - 10 A **Metric Profiles**

Color
 A: anthracite
 B: black
 C: cobalt blue
 DG: green
 G: Habasit green
 S: sky blue
 T: translucent
 W: white

Features
 A: abrasion resistant
 HR: hydrolysis resistant
 H15: HabaGUARD®
 HVY: heavy
 M: modified

Accessory Type
 P: Profile

Features of Habasits Profiles

- All profiles thermally bonded by hot air or RF induction for superior adhesion and services
- Custom cut-to-height, notching or chamfering of profiles may be available. Contact your Habasit representative for further information
- V-guide notching reduces minimum pulley diameter value by approximately 25%

V-Guide Cross-reference

SI Profile	Metric Profile
Y	PV...-6
O, Z, M, 3L	PV...-10
A	PV...-13
B, 5L	PV...-17
C	N/A (22x14)
D	PV...-30

Note: all data are approximate values under standard climatic conditions: 23°C / 73°F, 50% relative humidity.

EMEA

Germany

Habasit GmbH, Eppertshausen
Phone: +49 6071 969 0
www.habasit.de

Switzerland

Habasit GmbH, Reinach
Phone: +41 61 577 51 00
www.habasit.ch

Austria

Habasit GmbH, Vienna
Phone: +43 1 690 66
www.habasit.at

Italy

Habasit Italiana SpA
Customer Care: 199 199 333
For int. calls: +39 0438 911444
www.habasit.it

France

Habasit France S.A.S., Mulhouse
Phone: +33 389 338 903
www.habasit.fr

Spain

Habasit Hispánica S.A.
Barberá del Vallés
Phone: +34 937 191 912
www.habasit.es

United Kingdom & Ireland

Habasit UK Ltd., Elland
Phone: +44 333 207 6570
www.habasit.co.uk

Netherlands

Habasit Netherlands BV, Nijkerk
Phone: +31 332 472 030
www.habasit.nl

Belgium & Luxembourg

Habasit Belgium N.V., Zaventem
Phone: +32 27 250 430
www.habasit.be | habasit.lu

Turkey

Habasit Kayis San.
Ve Tic. Ltd. Sti., Istanbul
Phone: +90 444 70 43
www.habasit.com.tr

Nordic countries

Habasit AB, Hindås, Sweden
Phone: +46 301 226 00
www.habasit.se

Poland

Habasit Polska Sp. z o.o.
Dąbrowa Górnicza
Phone: +48 32 639 02 40
www.habasit.pl

Russia

OOO Habasit Ltd.
Moscow Region
Phone: +7 495 966 1566
www.habasit.ru

Ukraine

Habasit Ukraine LLC., Vinnytsa
Phone: +38 044 290 88 99
www.habasit.ua

South Africa

Habasit South Africa Pty Ltd.
Gauteng
Phone: +27 10 001 6770
www.habasit.co.za

APAC

Japan

Habasit Nippon Co., Ltd.
Yokohama
Phone: +81 45 476 0371
www.habasit.co.jp

China

Habasit East Asia Ltd.
Fotan, Shatin, N.T., Hong Kong
Phone: +852 2145 0150
www.habasit.com.hk

Habasit (Shanghai) Co. Ltd.
Shanghai
Phone: +8621 5488 1218
www.habasit.com.cn

Taiwan

Habasit (Taiwan) Ltd.
New Taipei City
Phone: +886 2 2267 0538
www.habasit.com.tw

India

Habasit India, Coimbatore
Phone: +91 422 262 78 79
www.habasit.in

Singapore

Habasit Far East Pte Ltd.
Singapore
Phone: +65 6862 5566
www.habasit.com.sg

Australia

Habasit Australia Pty Ltd.
Silverwater, Sydney
Phone: +61 1300 945 455
www.habasit.com.au

New Zealand

Habasit New Zealand Pty Ltd.
Auckland
Phone: 0800 000 070
www.habasit.co.nz

AMERICAS

USA

Habasit America
Suwanee, Georgia
Phone: +1 800 458 6431
www.habasitamerica.com

Canada

Habasit Canada Ltd., Oakville
Phone: +1 905 827 41 31
www.habasit.ca

Mexico

Habasit Rocua, Zapopan
Phone: +52 33 3824 2358
www.habasitrocua.mx

Brazil

Habasit do Brasil, Barueri - SP
Phone: +55 11 4789 9022
www.habasit.com.br

Habasit America

805 Satellite Blvd
Suwanee, GA 30024
Phone: +1 800 458 6431
Fax: +1 800 422 2748
info.america@habasit.com
www.habasitamerica.com

Registered trademarks
Copyright Habasit AG
Subject to alterations
4051BRO.ACC-en0721USA